



DTK-MRJPOES

Power over Ethernet Surge Protector

DITEK's DTK-MRJPOES protects circuits that use state-of-the-art Power over Ethernet technology. This point of use surge protector is compatible with Cat5e, Cat6 or Cat6A cabling infrastructure and can be installed either at the endpoint device or ahead of power sourcing equipment. Its multi-stage, hybrid design provides superior protection for PoE applications.



PRODUCT FEATURES

- Hybrid design utilizing TVS diode and GDT technologies for optimal protection
- Supports Ethernet speeds up to 10GbE without signal degradation
- Shielded RJ45 female connections with external grounding screw
- Complies with all IEEE Power over Ethernet standards
- UL 497B listed

APPLICATIONS

- PoE IP Camera, NVR's
- Wireless Access Points
- Audio/Video Touch Pads and Screens
- Access Control
- PoE Lighting

ACCESSORIES

- DIN Rail Mounting Kit, P/N DTK-DRK

TECHNICAL SPECIFICATIONS

Service Voltage:	<60Vdc
Protection Modes:	Differential Mode (Line-Line) Common Mode (Line-Ground)
Clamping Voltage:	Differential Mode: 7.22V Common Mode: 75V
Surge Current Rating:	20kA per pair
Power Handling:	144 watts
Data Rate:	10GbE

DITEK Surge Protection, Largo, FL 33771 • Sales: 800-753-2345
Diteksurgeprotection.com • SPS-100042-009 Rev 11 04/26







DTK-MRJPOES

Power over Ethernet Surge Protector

IEEE PoE STANDARD	WATTAGE	COMPATIBLE
802.3af	15.4 W	Yes
802.3at	30 W	Yes
802.3bt Type 3	60 W	Yes
802.3bt Type 4	100 W	Yes



MECHANICAL SPECIFICATIONS	
Connection Method:	Shielded RJ45 Female In/Out
Housing:	ABS
Operating Temperature:	-40°F – 158°F (-40°C – 70°C)
Maximum Humidity:	95% non-condensing
Dimensions:	3.0 in. L X 2.43 in. W x 1.32 in. H (76 mm x 62 mm x 34 mm)
Weight:	3.2 oz (91g)

SAFETY STANDARDS AND CERTIFICATIONS	
Certifications:	UL 497B
Standards Compliance:	ANSI/TIA-568, RoHS
State Certifications:	FDOT APL# 620-004-009
Warranty:	10 Year Limited Warranty

DITEK Surge Protection, Largo, FL 33771 • Sales: 800-753-2345
 Diteksurgeprotection.com • SPS-100042-009 Rev 11 04/26

