



DTK-WM8NETS

Wall Mount Network Surge Protector

DITEK's DTK-WM8NETS is an 8-channel, wall mount surge protector that uses state-of-the-art circuitry to provide optimal surge protection for Ethernet and Power over Ethernet circuits. The DTK-WM4NETS is ideal for smaller installations where Ethernet cabling feeds require protection before entering network equipment.



PRODUCT FEATURES

- Hybrid design utilizing TVS diode and GDT technologies for optimal protection
- Supports Ethernet speeds up to 10GbE without signal degradation
- Rapid-Replacement modular design
- Complies with all IEEE Power over Ethernet standards
- UL 497B listed

APPLICATIONS

- PoE Network Switches
- Wireless Access Points
- NVRs
- Access Control
- PoE Lighting

ACCESSORIES

- DIN Rail Mounting Kit, P/N DTK-DRK
- Replacement Modules
 DTK-NETMS – Ethernet & PoE Circuits
 DTK-EXTMS – PoE Extender Circuits

TECHNICAL SPECIFICATIONS	
Service Voltage:	<60Vdc
Protection Modes:	Differential Mode (Line-Line) Common Mode (Line-Ground)
Clamping Voltage:	Differential Mode: 7.22V Common Mode: 75V
Surge Current Rating:	20kA per pair
Power Handling:	144 watts
Data Rate:	10GbE






DTK-WM8NETS

Wall Mount Network Surge Protector

IEEE PoE STANDARD	WATTAGE	COMPATIBLE
802.3af	15.4 W	Yes
802.3at	30 W	Yes
802.3bt Type 3	60 W	Yes
802.3bt Type 4	100 W	Yes



MECHANICAL SPECIFICATIONS	
Connection Method:	Shielded RJ45 Female In/Out
Housing:	ABS
Operating Temperature:	-40°F – 158°F (-40°C – 70°C)
Maximum Humidity:	95% non-condensing
Dimensions:	7.6 in. L x 2.93 in. W x 2.36 in. H (193 mm x 74 mm x 60 mm)
Weight:	1.15 lbs. (0.45 kg)

SAFETY STANDARDS AND CERTIFICATIONS	
Certifications:	UL 497B
Standards Compliance:	ANSI/TIA-568, RoHS, CE
State Certifications:	FDOT APL# 620-004-013
Warranty:	10 Year Limited Warranty

DITEK Surge Protection, Largo, FL 33771 • Sales: 800-753-2345
 Diteksurgeprotection.com • SPS-100097-001 Rev 6 04/26

