Residential Protection

A | DTK-120/240BK1

CIRCUIT BREAKER-STYLE - LOAD CENTER

UL 1449 | Type 2 SPD

- Fits multiple load centers w/ 1" spacing
- 50,000A surge current rating
- Audible alarm with silence feature
- Diagnostic LED
- 5 year, \$25,000 connected equipment warranty



B | DTK-120/240HD2

MAIN PANEL, METER OR TRANSFER SWITCH

UL 1449 | Type 1 SPD

- 100,000A/phase surge current rating
- NEMA 4X enclosure
- Diagnostic LED
- Flush mount kit p/n DTK-FMKHD2
- 5 year \$25,000 connected equipment warranty



C | DTK-120/240HD

MAIN PANEL, METER OR TRANSFER SWITCH

UL 1449 | Type 1 SPD

- 50,000A/phase surge current rating
- NEMA 4X enclosure
- Diagnostic LED
- Flush mount version p/n DTK-120/240HDFM
- 5 year, \$10,000 connected equipment warranty



D | DTK-120/240XD

MAIN PANEL, METER OR TRANSFER SWITCH

UL 1449 | Type 1 SPD

- 50,000A/phase surge current rating
- NEMA 4X enclosure
- Diagnostic LED
- Flush mount kit p/n DTK-FMK
- 5 year, \$10,000 connected equipment warranty





E | DTK-120/240CM+

HVAC & POOL CONTROLS

UL 1449 | Type 1 SPD

- 50,000A total surge current rating
- NEMA 4X enclosure
- Diagnostic LED
- 3/4" NPT male fitting
- 3 year, \$7,500 connected equipment warranty



F | DTK-MRJPOES

ETHERNET & POE CIRCUITS

UL 497B | 20,000A

- Protects 1 Ethernet or PoE channel
- RJ45 female in/out
- Rated to pass up to 10Gbps
- 20kA/pair surge current rating
- 10 year limited warranty



G | DTK-7VS

PLUG-IN SURGE STRIP

UL 1449 | Type 3 SPD

- Power strip with load-sensing technology
- 120VAC, 15A
- 7 outlets with 4' cord
- Illuminated load-status indicator

